# Door Collection 2019/20

| · 🖬 ·



INSPIRATIONAL DOORS. Undeniable value. 1)

.

www.jbkind.com

WELCOME

#### Our 2019/20 Door Collection includes all the designs you've come to know and trust, plus some exciting new door styles and services.

The Osborne, Catton, Belton and Hardwick (pages 82-85) feature classic panelled designs with attractive flush mouldings that simply ooze refinement. White primed and ready for finishing, these doors are also suitable for another new service launching this year: our Colour Options Paint Service. We know how time-consuming painting doors can be – let us take the hassle away by delivering your doors professionally spray painted in whichever RAL colour you choose (page 9).

Speaking of convenience, also new for 2019/20 is our External Extreme Doorset offering (pages 118-119). Customers already love these exceptionally durable front doors, made with a top layer of MEDITE®TRICOYA®EXTREME. Now, fitting them has got a lot easier as they're available pre-hung as a doorset, complete with a solid white Accoya wood frame, plus high-quality fixtures and hardware.

Whatever your style and budget, from space-saving pocket door systems to easy-to-maintain Laminate doors, you'll find plenty to choose from in our Door Collection, now with a handy index for your convenience. Happy browsing!



# Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards. From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as Certifire and FSC<sup>®</sup> chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

# Contents

How to Choose Your Doors	pages 4-5
Visit our Showroom	page 6
Where to Buy	page 7
FSC <sup>®</sup> Certified	page 7
Our Services	
Bespoke Options	page 8
Colour Options	page 9
Internal Doorsets	page 10
Rebated Door Pairs	page 11
Pocket Door Systems	pages 12-15
Internal Doors	pages 16-111
Door Furniture	pages 112-113
External Doors	pages 114-119
Timber Accessories	page 120
Essential Door Care	page 121
Fire Door Information	page 122
Index	page 123



Add a touch of colour to your doors with our new Colour Options paint service. Look out for the 🎇 icon against compatible doors.

See page 9 for more information.

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality award ISO9001. Certificate number: 1UK/01/5129491224





pages 98-105

Painted Finish White Classic pages 74-79 pages 82-85

White Contemporary White Shaker pages 86-97

White Moulded pages 106-111

External Extreme pages 114-119

# OWNTOOURDEOURDEOURDE

#### STEP 1

#### Choose your preferred door style

Browse through and select your favourite door designs, colours and finishes. Not forgetting, a matching glazed partner, should you wish to add some extra light. Take inspiration from our Gallery of lifestyle images online at jbkind.com

#### STEP 2

#### Check the sizes available

If one of our standard door sizes does not fit your requirements, check if a special size can be ordered through our Bs Bespoke Options service, page 8.

#### STEP 3

#### Consider how the doors will be fitted

- Do you need any door pairs? If so, take a look at our Door Pair rebating service page 11.
- Would a Pocket Door System help create some extra space? Ideal for renovation and new build projects, see pages 12-15.
- Will you require any fire doors? Virtually all of our door designs offer an FD30 fire door option. See page 122.
- A pre-hung Doorset complete with frame and ironmongery could be better suited to your project. If so, see pages 10-11.
- Ensuites, wardrobes and cupboards often require a space saving solution. Consider a matching bi-fold option, pocket door system or invest in some sliding door tracking.

# Measuring up

To make sure you purchase the right door sizes, take the following measurements.

**Door width:** measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door.

**Door height:** measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.

#### STEP 4

#### Pick the right handle

A stylish handle really does finish off a door. Take a look at our Door Handle Packs, pages 112-113, supplied with everything you need to fit a door.

#### STEP 5

#### Price up your doors

JB Kind's doors can be purchased through Builders Merchants and Door Retailer partners across the UK, any of which will be happy to provide a quote.

Either call us on 01283 554197 for details of your local supplier or visit our online Supplier Locator at jbkind.com. Alternatively you can Buy Online via one of our approved Online Partners and your doors will just be a click away.



# **Door size conversion chart:** A little help if you need to work out the metric and imperial equivalent for door sizes.

#### Height & Width

Metric	Imperial	Imperial
(mm)	(inches)	(feet & inches)
1981 x 457	78″ x 18″	6′6″ x 1′6″
1981 x 533	78″ x 21″	6′6″ x 1′9″
1981 x 610	78″ x 24″	6'6" x 2'0"
1981 x 686	78″ x 27″	6'6" x 2'3"
1981 x 711	78″ x 28″	6'6" x 2'4"
1981 x 762	78″ x 30″	6′6″ x 2′6″
1981 x 838	78″ x 33″	6'6" x 2'9"
1981 x 915	78″ x 36″	6'6" x 3'0"
1981 x 1067	78″ x 42″	6'6" x 3'6"
1981 x 1168	78″ x 46″	6'6" x 3'10"
1981 x 1220	78″ x 48″	6'6" x 4'0"
1981 x 1372	78″ x 54″	6'6" x 4'6"
1981 x 1524	78″ x 60″	6'6" x 5'0"
2032 x 813	80″ x 32″	6'8" x 2'8"
2134 x 915	84″ x 36″	7′0″ x 3′0″
2040 x 526	80¼″ x 20 <sup>11</sup> /16″	6'8¼" x 1'8 <sup>11</sup> /16"
2040 x 626	80¼ x 24 <sup>5</sup> /8″	6′8¼″ x 2′0⁵⁄8″
2040 x 726	80¼ x 285/8″	6'8¼" x 2'45/8"
2040 x 826	80¼ x 32½″	6′8¼″ x 2′8½″
2040 x 926	80¼″ x 36 <sup>7</sup> /16″	6'8¼″ x 3'0 <sup>7</sup> /16″

Tigris Ivory



Located in Swadlincote, Derbyshire, you are invited to touch and feel our products at first hand - we're sure you'll be impressed.

Recently refurbished, you will be able to view over 70 doors on display, including one of our double pocket door systems.

Please call 01283 554197 to make an appointment or complete our online showroom appointment form. Alternatively, we have many partners throughout the UK with our doors on display, so please consult us for the closest to you or visit our online Supplier Locator.

# Builders merchants and door retailers

Our doors can be ordered from Builders Merchants and Door Retailer partners across the UK and buying your JB Kind doors is now even easier with our online Supplier Locator.

Just go to www.jbkind.com and put in your postcode to find the closest retailer to you we also tell you which outlets have JB Kind door displays so you can take the time to go and experience just how fabulous our doors really are!



------

# Buy online

If you already know exactly what you want and you like the ease of ordering online, then just pop onto our website and check out the buy online section with links to our approved Online Partners - then you're just a click away from receiving your dream doors.



#### NEED ADVICE?

Sometimes you'll need advice and we are always here to help. Just give us a call on 01283 554197 or email info@jbkind.com





# Look for FSC<sup>®</sup> certified products




FSC<sup>®</sup> Certified We hold our own FSC<sup>®</sup> chain of custody chain of custody door supplier

our collection. Chain of custody certification ensures that the systems within our business allow us to track the door from the day we buy it, through to the day we deliver it. Wherever you see FSC® Certified within a product description that door has been produced from certified materials and other controlled sources.

certification for certain doors within





# **Bs** Bespoke Options

Whether you're self-building, renovating your home, purchasing for a development project or you're an interior design expert, you'll want to take a look at IB Kind's bespoke options. The versatility of our bespoke service is ideal for those special requirements.

standard door sizes

created just for you.

Many of our door designs have bespoke options available. Look out for the Bs icon adjacent to product images.



#### TIMBER VENEERS

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or maybe you would like to create a style that is completely unique and different? More veneers can be viewed online at www.jbkind.com.



#### BESPOKE GLAZING

There are a wide range of Whether you prefer a full glazed panel or smaller available, however, vou apertures, there are so may have a specific size many options for a glazed requirement. Many of the door. Clear, bevelled, doors from our collection diamond cut and etched can be produced to order as are some of the most a special size and of course popular glazing types. Let any door designs that are us know what you would like to achieve and we'll advise on the options.



#### **FIRE DOORS**

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Fully certificated, so you can be safe and stylish.

For more information see page 122.



# **NEW Colour Options Paint Service**

#### All the colours of the spectrum

Bring colour to your home and make a style statement by painting your doors any colour you like!

Painting doors can be fiddly and time consuming, so let us take the hassle away and arrange for your doors to be professionally spray painted prior to delivery. All you have to do is tell us your preferred RAL colour and we will do the rest.

Virtually all of our internal white doors and External Extreme range are suitable for this service – look out for the 🎇 icon as you browse through the brochure.

Note: Our painting service typically takes 3-4 weeks including delivery. Touch up kits are available to order. Colours shown are representative only. Please be aware that the appearance of RAL colours can vary depending on the paint surface and sheen level chosen. Subject to terms and conditions





# BENEFITS

#### Save time

No need to prepare (de-nib/sand) doors prior to painting and paint several coats on each side, allowing for drying time too!

#### Cost saving

Eliminate the cost of purchasing paint and equipment, plus labour if you employ someone to do the job for you.

#### Perfect finish

Spray painting gives a smooth factory finish without brush marks or uneven coverage.

#### Colour choice

You really can have any colour on the RAL spectrum. Even if you would like to stay with white, we will finish our primed doors for you.

# **OUR SERVICES**



# **Internal Doorsets**

All of our internal doors, including fire doors, can be supplied as factory pre-assembled Doorsets. The perfect door solution for self builds, new housing and apartment developments.

#### BENEFITS OF A DOORSET

Save time Each Doorset is pre-hung and ready to install.

**Labour cost saving** Quicker fitting times help reduce onsite costs.

**Single sourcing** Ease of purchasing all door related components in one place.

**Fully certificated** Peace of mind that each Fire and

Peace of mind that each Fire and Security rated Doorset is fully compliant.

Factory controlled

Each Doorset is assembled in a factory environment to ensure consistency and quality.

#### What's in a Doorset?

Hinges fitted
 Door leaf
 Latch/lock fitted
 Frame/lining, complete

Floor covering clearance
Removable transport bracket
Architrave is also supplied (not shown): available in a variety of styles



Here's a checklist of the key information that will be required to help us process your enquiry:

✓ Quantity required

Structural opening heights and widths

✓ Wall depth

Handing (left or right) as viewed from the pull side

Floor clearance (distance from bottom of frame to bottom of door)

Type of door – Standard (35/40mm), FD30/FD60 fire rated (44/54mm) or Security rated

- ✓ Door design style
- Frame material and finish mdf or softwood in primed, lacquered or stained
- Frame type rebated or lining
- Architrave profile and dimensions


Fire rated internal doorsets are available for FD30 and FD60 Fire Doors



# **Rebated Door Pairs**

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be made to order.



#### Doors that can be rebated into a pair from stock

Range	Door Designs
Oak Contemporary	Tigris Oak & Medina (sizes: 686 & 762mm)
Oak Classic	Dove Pairs (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Thames + glazed partners (except fire doors & bi-fold) Yoxall & Tutbury
Walnut	Axis
White Classic	All door designs (except fire doors)
White Contemporary	All door designs (except Parelo, Linea, Blanco & Ripple) Contact us for fire door options
White Shaker	All door designs (except fire doors & bi-folds)
White Moulded	Classique 6 Light Pairs (ready rebated)





\*We always recommend using a professional fitter.

#### A pocket door system that enables doors to slide conveniently into a wall cavity and save space whilst looking incredibly stylish.

Easy to install\* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.

Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

#### Key features:

- Easy to install\* rigid frame, supplied pre-assembled
- Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- Compatible sliding door hardware available
- Available in single and double format

#### Pocket door cassette:

The cassette structure is made from 0.5mm galvanised steel, with the sides formed from single pieces of pressed steel which is corrugated for complete stability. Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette. The internal pocket cavity is protected by a cover during installation.


#### Spacer bars:

Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square.

#### Specifications:

Suits door thickness 35mm with





# POCKET DOOR SYSTEMS



# How to order a Pocket Door System: Your step by step guide

#### STEP 1

**Single or Double Pocket Door System** Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

#### STEP 2

#### Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

#### STEP 3

**Timber accessory kits** You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for

both single and double options.

#### STEP 4

**Door Grooving** The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system.

If required, our in-house joinery workshop can pre-groove your doors prior to delivery, for a small charge.

#### STEP 5

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Double simultaneous operator: enables a double pocket door to open and close simultaneously.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

#### STEP 6

**Door furniture** Choose from either a bathroom privacy lock or flush door pull.

#### STEP 7

**Finding a JB Kind door supplier** Take a look at the Supplier Locator on our website or approved Online Partners.


Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call **01283 554197** or email **info@jbkind.com** 

#### www.jbkind.com

#### Timber Accessory Kits

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.



Double pocket door kit (shown as white primed) Includes: 4 x cover moulds with brush seals and 2 x header covers

 SGLWPRIAC
 White primed - single pocket door kit

 DBLWPRIAC
 White primed - double pocket door kit

 SGLVOAC
 Oak varnished - single pocket door kit

 DBLVOAC
 Oak varnished - double pocket door kit


#### Additional Accessories

Code






couc	
SCDAMPER	Soft close damper unit
ACLOSER	Automatic door closer
DBLSIMOP	Double simultaneous operator
CIRCPULL	Flush Door Pull Pack (satin stainless steel, includes 2 circular flush pulls and a round finger pull for the door edge)
CIRCBATHLOCK	Bathroom Door Hook Lock Pack (satin stainless steel, includes turn and release, hook latch, adjustable keep and finger pull)



#### Single Pocket Door - Size Guide

Code	Door	r Size		ening Size ough area)		l Opening the Unit	Finished Wall Thickness
(mm)	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
POCSYSSGL686	686	1981	650	1970	1425	2075	125
POCSYSSGL762	762	1981	740	1970	1625	2075	125
POCSYSSGL838	838	1981	800	1970	1725	2075	125
POCSYSSGL915	915	1981	890	1970	1925	2075	125



#### Double Pocket Door – Size Guide

To create a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. Easy to assemble without requiring any modifications, the conversion kit includes a double top rail and two spacers.

Code				lear Opening Size valkthrough area)		l Opening the Unit	Finished Wall Thickness
(mm)	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
DBLLEAFKIT686	686	1981	1300	1970	2742	2075	125
DBLLEAFKIT762	762	1981	1500	1970	3142	2075	125
DBLLEAFKIT838	838	1981	1600	1970	3342	2075	125
DBLLEAFKIT915	915	1981	1800	1970	3742	2075	125

Oak gives a beautiful, natural feel to any room. This versatile, timeless wood looks stunning whether you go for a contemporary or traditional design.

# Contemporary | Classic | Shaker | Cottage

 $\left( 0 \right)$ 



real oak grooves **Style:** VP7: 7 ladder style panels VT5: 5 horizontal panels **Glazing:** Clear diamond cut safety glass with raised beading Other: FD30 Fire doors

Finish: Pre-finished oak veneer with

Royale VP7 Oak





Size (mm) Code PRE-FINISHED 1981 610 35 VP7610-0 1981 686 35 VP7686-0 1981 762 35 VP7762-0 1981 838 35 VP7838-0 1981 686 45 VP7HH686-0 🌢 1981 762 45 VP7HH762-0 🌢 1981 838 45 VP7HH838-0 è



Royale VP7 Oak Glazed Bs 🗾

Size (mm)

PRE-FINISHED

Code

1981 686 35 VP71VCB686-0

1981 762 35 VP71VCB762-0

1981 838 35 VP71VCB838-0

Glazed fire doors available

to order wth clear flat glass.

Royale VT5 Oak Glazed Bs 🛃 M



Code

1981 610 35 VT5610-0

1981 686 35 VT5686-0

1981 762 35 VT5762-0

1981 838 35 VT5838-0


1981 838 45 VT5HH838-0 실

Size (mm)

PRE-FINISHED

Size (mm) Code PRE-FINISHED 1981 686 35 VT51VB686-0 1981 762 35 VT51VB762-0 1981 838 35 VT51VB838-0 Glazed fire doors available 1981 686 45 VT5HH686-0 è to order wth clear flat glass. 1981 762 45 VT5HH762-0 è

M Matching door pairs cannot be guaranteed Bs Bespoke options Solid core construction FD30 Fire door



Finish: Pre-finished oak veneer with real wood grooves Style: 5 ladder style panels Glazing: Emral/Bela: Clear flat safety glass with raised beading Medina: Clear diamond cut safety glass with raised beading **Other:** FD30 Fire doors

Tigris Oak



Tigris and Emral are available in Walnut and White, see pages 59 & 87.

Laminate versions are available in Lava and Ivory, see page 67.

Code Size (mm) PRE-FINISHED 1981 533 35 OISI19 1981 610 35 OISI20 1981 686 35 OISI23 1981 762 35 OISI26 1981 838 35 OISI29 2040 626 40 OISI626 2040 726 40 OISI726 2040 826 40 OISI826 1981 533 44 OISI19FD30 è 1981 610 44 OISI20FD30 è 1981 686 44 OISI23FD30 è 1981 762 44 OISI26FD30 실 1981 838 44 OISI29FD30 è 2040 726 44 OISI726FD30 2040 826 44 OISI826FD30 è 2040 926 44 OISI926FD30 è Rebated door pairs available from stock for 686 & 762mm.



Emral Oak Bs 🖪

Size (mm)

PRE-FINISHED

1981 686 35 OEMR23

1981 762 35 OEMR26

1981 838 35 OEMR29

1981 686 44 OEMR23FD30 실

1981 762 44 OEMR26FD30 è

1981 838 44 0EMR29FD30 실

Code

Medina





Bela

Size (mm) Code Size (mm) PRE-FINISHED PRE-FINISHED 1981 610 35 OBEL20 1981 686 35 OMED23G 1981 762 35 OMED26G 1981 686 35 OBEL23 1981 838 35 OMED29G 1981 762 35 OBEL26 2040 626 40 OMED626G 1981 838 35 OBEL29 2040 726 40 OMED726G 2040 826 40 OMED826G Rebated door pairs

available from stock

for 686 & 762mm. Glazed fire doors available to order with clear flat glass.

Bs Bespoke options Solid core construction FD30 Fire door

Code

T: 01283 554197



#### Mistral Oak

Bs 🖪



Size (	mm)		Code	
PRE-F	INISH	IED		
1981	533	35	OMIS19	
1981	610	35	OMIS20	
1981	686	35	OMIS23	Mi
1981	762	35	OMIS26	Mi
1981	838	35	OMIS29	an
2040	526	40	OMIS526	Wa
2040	626	40	OMIS626	se
2040	726	40	OMIS726	
2040	826	40	OMIS826	
1981	610	44	OMIS20FD30	-
1981	686	44	OMIS23FD30 실	
1981	762	44	OMIS26FD30 실	
1981	838	44	OMIS29FD30 실	
2040	726	44	OMIS726FD30 실	
2040	826	44	OMIS826FD30 실	
2040	926	44	OMIS926FD30 실	

istral Oak and istral Oak Glazed re also available in Valnut and White, ee pages 59 & 89.

Glazed fire doors available to order.

#### Bs Bespoke options Solid core construction

Size (mm) Code

1981 686 35 OMIS23G 1981 762 35 OMIS26G

1981 838 35 OMIS29G

2040 626 40 OMIS626G

2040 726 40 OMIS726G

2040 826 40 OMIS826G

PRE-FINISHED

Semi-solid core construction 실 FD30 Fire door



Mistral Oak Glazed Bs 🖪

Mistral Oak Bi-fold



Mistral Oak Bi-fold is also available in White, see page 89.

Size (mm) Code PRE-FINISHED 1981 762 35 OMISBF26



22

Mistral Oak Glazed

see page 12

Adding the

see page 112

Make a

finishing touch ...

statement with a

pocket door system

100000

Timber veneers are a natural material and variations in the colour and graining

representative only.

should be expected. Colours depicted are

T: 01283 554197



Finish: Pre-finished oak veneer Style: Sirocco: Grooved into MDF with alternate horizontal and vertical veneers Ostria: Horizontal veneers with vertical stiles Glazing: Clear flat safety glass with flush beading Other: FD30 Fire doors

Sirocco Bs 🛃



Size (	mm)		Code
PRE-F	INISH	IED	
1981	610	35	OSIR20
1981	686	35	OSIR23
1981	762	35	OSIR26
1981	838	35	OSIR29
1981	686	44	OSIR23FD30 è
1981	762	44	OSIR26FD30 è
1981	838	44	OSIR29FD30 è



Ostria

Bs 📝

Size (mm)

PRE-FINISHED

1981 610 35 00ST20

1981 686 35 00ST23

1981 762 35 00ST26

1981 838 35 00ST29

1981 762 44 00ST26FD30 실

1981 838 44 005T29FD30 è

Code

Sirocco Glazed Bs 🖪



1981 686 35 OSIR23G 1981 762 35 OSIR26G 1981 838 35 OSIR29G Glazed fire doors available to order.



Bs 🛃

Bs Bespoke options Semi-solid core construction

FD30 Fire door



T: 01283 554197



Finish: Pre-finished oak veneer **Style:** Flush with light wood inlays Glazing: Clear bevelled safety glass with raised beading **Other:** FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Size (	mm)		Code
PRE-F	INISH	IED	
1981	610	35	OVEN20
1981	686	35	OVEN23
1981	762	35	OVEN26
1981	838	35	OVEN29
1981	762	44	OVEN26FD30
1981	838	44	OVEN29FD30

Juno

Bs 🖪



Luci	na
Bs	
Ť	M



A CONTRACTOR OF A CONTRACT	
ana san ta	
DESCRIPTION C.	
NEW PROPERTY IN	
A CARLESPACE	
REPORTS IN LET	
NCTOTAL I	
ENDER THE REAL PROPERTY OF	
a Castlerate	

Bs 🖪

Size (mm)			Code
PRE-F	INISE	IED	
1981	610	35	ODIA20
1981	686	35	ODIA23
1981	762	35	ODIA26
1981	838	35	ODIA29
1981	762	44	ODIA26FD30 🌛
1981	838	44	ODIA29FD30 è

10.11.11			
	Ligh	t wood	inlay

Bs 🛃

Size (	mm)		Code
PRE-F	INISH	IED	
1981	686	35	OMIN23
1981	762	35	OMIN26
1981	838	35	OMIN29
Glaze	d fire	e do	ors available
to ord	ler w	ith (	clear flat glass.

1.4
lake a
atement with
pocket door
istem
see page 12

Bs Bespoke options Semi-solid core construction

Certifire FD30 Fire door



Finish: Pre-finished oak veneer **Style:** Flush with dark coloured groove patterns Glazing: Clear flat safety glass with raised beading Other: FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.


Bespoke options Solid core construction Standard core construction Certifire FD30 Fire door

30

Size (	(mm)		Code	
PRE-F	INISH	IED		
1981	610	35	ESOL20	
1981	686	35	ESOL23	
1981	762	35	ESOL26	
1981	838	35	ESOL29	
1981	686	44	ESOL23FD30 실	
1981	762	44	ESOL26FD30 실	
1981	838	44	ESOL29FD30 🌛	

Sol

Bs 📘



1			



Agua	Agua Glazed
Bs	Bs
Size (mm) Code	Size (mm) Code
PRE-FINISHED	PRE-FINISHED
1981 610 35 EAGU20	1981 686 35 EAGU23G
1981 686 35 EAGU23	1981 762 35 EAGU26G
1981 762 35 EAGU26	1981 838 35 EAGU29G
1981 838 35 EAGU29	Glazed fire doors availab
4004 404 44 5464225020	to overlaw



1981 686 44 EAGU23FD30 è to order. 1981 762 44 EAGU26FD30 è 1981 838 44 EAGU29FD30 🌢

		10100			CONTRACTOR AND A CONTRACTOR
)	Code	Size (	mm)		Code
HED		PRE-F	INISH	IED	
5 35	EAGU23G	1981	610	35	EARC20
2 35	EAGU26G	1981	686	35	EARC23
35	EAGU29G	1981	762	35	EARC26
-e do	ors available	1981	838	35	EARC29
		1981	686	44	EARC23FD30 è
		1981	762	44	EARC26FD30 è
		1981	838	44	EARC29FD30 è

Arcos

Bs 🖪

RE-F	INISH	IED	
981	686	35	EARC23G
981	762	35	EARC26G
981	838	35	EARC29G
laze o o ro	. u	e do	ors available

Arcos Glazed

Bs 🖪

Make a statement with a pocket door system see page 12

T: 01283 554197

Timber veneers are a natural material

and variations in the colour and graining


should be expected. Colours depicted are



**Finish:** Unfinished and pre-finished oak veneer **Style:** Raised shaped panels with raised mouldings Glazing: Clear bevelled safety glass with raised mouldings 12-6VM FD30 is clear flat fire glass **Other:** FD30 Fire doors

All images show doors finished.





Royale 11-8V Oak

representative only.



1981 686 35 126VM686G-0 1981 762 35 126VM762G-0 1981 838 35 126VM838G-0 2030 625 40 126VM625G-0 2030 725 40 126VM725G-0 2030 825 40 126VM825G-0 1981 686 45 126VMHH686G-0 è

1981 762 45 126VMHH762G-0 실

1981 838 45 126VMHH838G-0 è

UNFINISHED

Size (mm)			Code
UNFIN	ISHE	D*	
1981	686	35	U0118V686
1981	762	35	U0118V762
1981	838	35	U0118V838
Glaze	d fir	e do	ors available

1981 610 35 U0126VMN20 1981 686 35 U0126VMN23 1981 762 35 U0126VMN26 1981 838 35 U0126VMN29 1981 686 45 UO126VMN23FD30 è 1981 762 45 UO126VMN26FD30 🤌 1981 838 45 UO126VMN29FD30 è

\* Pre-finished available to order Bs Bespoke options Solid core construction FD30 Fire door

#### www.jbkind.com

T: 01283 554197

Size (mm)

PRE-FINISHED

Code

1981 610 35 12M610-0 1981 686 35 12M686-0

1981 762 35 12M762-0

1981 838 35 12M838-0

2030 625 40 12M625-0

2030 725 40 12M725-0

2030 825 40 12M825-0

1981 610 45 12MHH610-0 è

1981 686 45 12MHH686-0 🌢

1981 762 45 12MHH762-0 è 1981 838 45 12MHH838-0 **è** 

2030 725 45 12MHH725-0 **e** 

2030 825 45 12MHH825-0 **e** 

Size (mm)

UNFINISHED

Code

1981 610 45 U012MN20FD30 è

1981 686 45 U012MN23FD30 è

1981 762 45 U012MN26FD30 🌢

1981 838 45 U012MN29FD30

1981 610 35 U012MN20

1981 686 35 U012MN23

1981 762 35 U012MN26

1981 838 35 U012MN29



**Finish:** Unfinished and pre-finished oak veneer Style: Raised shaped panels with raised mouldings Glazing: Unglazed **Other:** FD30 Fire doors

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.


All images show doors finished.





	and the second se
Size (mm) Code	Size (mm) Code
PRE-FINISHED	UNFINISHED
1981 610 35 E14M610-0	1981 610 35 UOE14MN20
1981 686 35 E14M686-0	1981 686 35 UOE14MN23
1981 762 35 E14M762-0	1981 762 35 UOE14MN26
1981 838 35 E14M838-0	1981 838 35 UOE14MN29
1981 686 45 E14MHH686-O è	1981 686 45 UOE14MN23FD30 🍑
1981 762 45 E14MHH762-0 è	1981 762 45 UOE14MN26FD30 🥹
1981 838 45 E14MHH838-0 è	1981 838 45 UOE14MN29FD30 🤌

Royale E14-2VM Oak





Size (mm) Code UNFINISHED\* 1981 686 35 UOE142VMN23 1981 762 35 UOE142VMN26 1981 838 35 UOE142VMN29 Glazed fire doors available to order.

Size (mm) Code UNFINISHED\* 1981 610 35 UOE16MN20 1981 686 35 UOE16MN23 1981 762 35 UOE16MN26 1981 838 35 UOE16MN29 1981 686 45 UOE16MN23FD30 🤌 1981 762 45 UOE16MN26FD30 è 1981 838 45 UOE16MN29FD30 è

> \* Pre-finished available to order Bs Bespoke options Solid core construction FD30 Fire door



- Finish: Trent: Unfinished & pre-finished oak veneer Dove: unfinished oak veneer
- **Style:** Raised shaped panels **Glazing:** Clear bevelled safety glass Other: FD30 Fire doors Pairs: rebated meeting stiles, left hand open away

Lifestyle images show doors finished.

Size (	mm)		Code
UNFI	VISHE	D	
1981	457	35	OTRE16
1981	533	35	OTRE19
1981	610	35	OTRE20V
1981	686	35	OTRE23V
1981	762	35	OTRE26V
1981	838	35	OTRE29V
2032	813	35	OTRE28
1981	686	44	OTRE23FD30v 실
1981	762	44	OTRE26FD30V 실
1981	838	44	OTRE29FD30v 실



Trent

Dove Pairs 

Dove

Size (mm)



Size (mm)	Code	Size (mm)	Code	
UNFINISHED*		UNFINISHED*		
1981 610 35	ODOV20	1981 1219 35	ODOV40	
1981 686 35	ODOV23	1981 1372 35	ODOV46	
1981 762 35	ODOV26V	1981 1524 35	ODOV50	
1981 838 35	0D0V29			

Finish: Unfinished oak veneer Style: Flat recessed panels **Glazing:** Severn: Clear flat safety glass Churnet: Diamond leaded safety glass Other: FD30 fire doors

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.





v Pre-finished size available from stock Pre-finished available to order

Solid core construction

۵ FD30 Fire door

	T	-11	
	F		
		1	

Size (mm)

UNFINISHED

1981 686 35 OSEV23G

1981 762 35 OSEV26G

1981 838 35 OSEV29G

Code

Severn

Derwent

Size (mm)

**UNFINISHED**<sup>\*</sup>

1981 610 35 ODER20

1981 686 35 ODER23

1981 762 35 ODER26

1981 838 35 ODER29

2032 813 35 ODER28

1981 686 44 ODER23FD30 è

1981 762 44 ODER26FD30 è

1981 838 44 ODER29FD30 è

Code



Size (mm) Code UNFINISHED\* 1981 686 35 OCHUDL23 1981 762 35 OCHUDL26 1981 838 35 OCHUDL29

Dean



Finish:	Pre-finished oak veneer	
Style:	Raised shaped panels	
Glazing:	Clear flat safety glass	
Other:	FD30 Fire doors	

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

#### Charnwood



Size (	Size (mm)		Code
PRE-F	INISH	IED	
1981	533	35	VS02P19
1981	610	35	VS02P20
1981	686	35	VS02P23
1981	762	35	VS02P26
1981	838	35	VS02P29
1981	686	44	VS02P23FD30
1981	762	44	VS02P26FD30
1981	838	44	VS02P29FD30

Size (mm) Code	Size (mm) Code
PRE-FINISHED	PRE-FINISHED
1981 610 35 VSO4P20	1981 686 35 VSO6L2P23G
1981 686 35 VSO4P23	1981 762 35 VSO6L2P26G
1981 762 35 VSO4P26	1981 838 35 VSO6L2P29G
1981 838 35 VSO4P29	
1981 686 44 VSO4P23FD30 è	
1981 762 44 VSO4P26FD30 è	
1981 838 44 VSO4P29FD30 è	
Grizedale	Gisburn



PRE-FINISHED

1981 610 35 VSO6P20

1981 686 35 VSO6P23

1981 762 35 VSO6P26

1981 838 35 VS06P29 1981 686 44 VS06P23FD30 1981 762 44 VS06P26FD30 1981 838 44 VS06P29FD30

Arden

Size (mm)

PRE-FINISHED

Code

1981 762 35 VSO6L1P26G

1981 838 35 VSO6L1P29G

Sherwood



 Size (mm)
 Code

 PRE-FINISHED
 1981
 686
 35
 VSO10L23G

 1981
 762
 35
 VSO10L26G
 1981
 838
 35
 VSO10L29G

Solid core construction FD30 Fire door

39




Finish: Pre-finished oak veneer Style: RO3: Flat panels with raised mouldings R11: Raised shaped panels with raised mouldings Glazing: Clear bevelled safety glass with raised mouldings Other: FD30 Fire doors

#### Royale RO3 Oak





Size (mm) Code PRE-FINISHED 1981 610 35 R03610-0 1981 686 35 R03686-0 1981 762 35 R03762-0 1981 838 35 R03838-0 1981 762 45 R03HH762-0 실 1981 838 45 R03HH838-0 è





Size (mm) Code

PRE-FINISHED



Size (mm) Code PRE-FINISHED PRE-FINISHED 1981 686 35 R033V686-0 1981 686 35 R112M686-0 1981 686 35 R112V686-0 1981 762 35 R033V762-0 1981 762 35 R112M762-0 1981 762 35 R112V762-0 1981 838 35 R033V838-0 1981 838 35 R112M838-0 1981 838 35 R112V838-0 1981 762 45 R112MHH762-0 è Glazed fire doors available Glazed fire doors available to order with clear flat glass. 1981 838 45 R112MHH838-0 🤌 to order with clear flat glass.

> Bs Bespoke options Solid core construction FD30 Fire door

Royale RO3 Oak Glazed

40

and variations in the colour and graining should be expected. Colours depicted are representative only.

41



 Finish:
 Unfinished oak veneer

 Style:
 Eden/Darwen: Flat panel with decorative muntins Mersey: Raised shaped panels

 Glazing:
 Clear flat safety glass

 Other:
 FD30 Fire doors

#### Lifestyle images show doors finished.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Eden



Size (mm)			Code
UNFIN	ISHE	D*	
1981	610	35	OEDE20
1981	686	35	OEDE23
1981	762	35	OEDE26
1981	838	35	OEDE29
2040	626	40	OEDE626
2040	726	40	OEDE726
2040	826	40	OEDE826
1981	686	44	OEDE23FD30 è
1981	762	44	OEDE26FD30 è
1981	838	44	OEDE29FD30 실
2040	726	44	0EDE726FD30 è
2040	826	44	0EDE826FD30 è



Mersey Humber Darwen Size (mm) Code Size (mm) Code Size (mm) Code UNFINISHED\* UNFINISHED\* UNFINISHED\* 1981 686 35 ODAR23G 1981 610 35 OMER20 1981 762 35 OHUM26 1981 762 35 ODAR26G 1981 686 35 OMER23 1981 838 35 OHUM29 1981 838 35 0DAR29G 1981 762 35 OMER26 2040 726 40 0DAR726G 1981 838 35 OMER29 1981 762 44 OMER26FD30 🌢 2040 826 40 ODAR826G 1981 838 44 OMER29FD30 è

> Pre-finished available to order
>  Solid core construction
>  FD30 Fire door

# OAK SHAKER

Make a

statement with

a pocket door



Finish:Pre-finished oak veneerStyle:Wide shaker panel designGlazie:Clear flat safety glassOther:FD30 Fire doorsRebated door pairs can be ordered<br/>from stock (not fire doors) with a<br/>short lead time.

Axis Oak



 Size (mm)
 Code

 PRE-FINISHED
 1981 610 35 VOAXI20

 1981 686 35 VOAXI23

 1981 762 35 VOAXI26

 1981 838 35 VOAXI29

 1981 686 44 VOAXI23FD30 ↓

 1981 762 44 VOAXI26FD30 ↓

 1981 838 44 VOAXI29FD30 ↓

Axis Oak Glazed



1981 686 35 VOAXI23G 1981 762 35 VOAXI26G

1981 838 35 VOAXI29G





Axis Oak is also available in Walnut and White, see pages 63 & 99.



Solid core construction FD30 Fire door

# OAK SHAKER



Finish: Unfinished oak veneer Style: Recessed flat panels **Glazing:** Clear flat safety glass Other: FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Lifestyle images show doors finished.

Snowdon





Snowdon Bi-fold Rushmore Nevis Size (mm) Code Size (mm) Code UNFINISHED\* UNFINISHED\* 1981 762 35 OSNOBF26 1981 686 35 ONEV23 Bi-folds are easy to install 1981 762 35 ONEV26 into existing frames, 1981 838 35 ONEV29 supplied ready hinged with 2040 726 40 ONEV726 pivots, brackets and a sliding 2040 826 40 ONEV826 track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Size (mm)			Code
UNFI	VISHE	D*	
1981	610	35	ORUS20
1981	686	35	ORUS23
1981	762	35	ORUS26
1981	838	35	ORUS29
1981	686	44	ORUS23FD30 è
1981	762	44	ORUS26FD30 🌢
1981	838	44	ORUS29FD30

\* Pre-finished available to order Solid core construction FD30 Fire door

www.jbkind.com

T: 01283 554197

# OAK SHAKER



Finish: Unfinished oak veneer **Style:** Recessed flat panels Glazing: Clear flat safety glass **Other:** FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

Adding the finishing touch ... see page 112

Bi-folds are easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Size (mm UNFINISH 1981 610 1981 686

Size (mm) Code	Size (mm) Code
UNFINISHED*	UNFINISHED*
1981 610 35 OETN20	1981 762 35 OETNBF26
1981 686 35 OETN23	
1981 762 35 OETN26	
1981 838 35 OETN29	
1981 686 44 OETN23FD30 🤚	
1981 762 44 OETN26FD30 🧕	
1981 838 44 OETN29FD30 🥝	

Fuji	
-	
1	
	_

Size (mm) Cod UNFINISHED\* 1981 686 35 OFU 1981 762 35 OFU 1981 838 35 OFUJ29

le	Size (mm)	C
	UNFINISHED*	
JJ23	1981 762 35	0
JJ26		
, 1129	_	

	Code	Size (mm)
D*		UNFINISHED*
35	OFUJBF26	1981 610 3
		1981 686 3
		1981 762 3
		1981 838 3
		1981 686 4

Size (mm) Co	de	Size (mm)	Code
UNFINISHED*		UNFINISHED*	
1981 610 35 OE	IG20	1981 686 35	OMAT23
1981 686 35 OE	IG23	1981 762 35	OMAT26
1981 762 35 OE	IG26	1981 838 35	OMAT29
1981 838 35 OE	IG29		
1981 686 44 OE	IG23FD30 è		
1981 762 44 OE	IG26FD30 è		
1981 838 44 OE	IG29FD30 è		

Make a
statement with
a pocket door
system see page 12

\* Pre-finished available to order Solid core construction FD30 Fire door

48

49


# OAK COTTAGE





T: 01283 554197

## OAK COTTAGE



Glazing: Clear bevelled safety glass **Other:** 20mm edge lippings FD30 Fire doors Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Lifestyle images show doors finished.



Adding the finishing touch ... see page 112







		Ш	
		I	
		l	
		1	
		I	
		I	

raised beading Other: FD30 Fire doors

		11. 11.	
	882 KG 1		
	1000 1000 1	18 13	
		1.6.9	
	1.8 51	1.0	
	The second	- A 193 D 19	
	Size (mm)	Code	
	Size (mm) PRE-FINISHED	Code	
	PRE-FINISHED	VOCHE23G	
	PRE-FINISHED 1981 686 35	VOCHE23G VOCHE26G	
     	PRE-FINISHED 1981 686 35 1981 762 35	VOCHE23G VOCHE26G VOCHE29G	
FD30 🌢	PRE-FINISHED           1981         686         35           1981         762         35           1981         838         35	VOCHE23G VOCHE26G VOCHE29G	
FD30 🎍	PRE-FINISHED           1981         686         35           1981         762         35           1981         838         35           Glazed fire door         1000000000000000000000000000000000000	VOCHE23G VOCHE26G VOCHE29G	

Code

Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

v Pre-finished size available from stock Solid core construction Certifire FD30 Fire door FD30 Fire door

# OAK COTTAGE

Timber veneers are a natural material and variations in the

colour and graining should be expected. Colours depicted are representative only.

Solid core construction



Finish:	Panelled doors: Pre-finished oak veneer						
	Ledged: Unfinished oak						
Style:	Natural knotty app						
	4 Panel/DX: recessed flat panels						
	Ledged: individual planks fixed with ledges						
Glazing:	azing: 4 Panel: Clear flat safety glass						
	DX: Opaque flat safety glass						
Rustic 4 Pane		Rustic Oak 4 Panel Glazed	Rustic Oak DX				
1 and			A COLUMN T				



Size (mm) Code PRE-FINISHED 1981 762 35 RODXTL26

Rustic Oak Ledged

1981 610 35 R04P20

1981 686 35 RO4P23

1981 762 35 RO4P26

1981 838 35 RO4P29

Code

Size (mm)

PRE-FINISHED

Code

1981 762 35 RO4P2TL26

Size (mm)

PRE-FINISHED

1981 610 35 RODX20

1981 686 35 RODX23

1981 762 35 RODX26

1981 838 35 RODX29

Code

Size (mm)

PRE-FINISHED





If you wish to create a Ledged and Braced style, the Braces are available separately.

Note: 40mm thickness = 20mm plank + 20mm ledge



Code Size (mm) UNFINISHED 1981 686 40 ROLED23 1981 762 40 ROLED26 1981 838 40 ROLED29

Size (mm) Code LEDGED BRACE PACK (2 per pack) 1000 120 15 ROLEDBRPACK

T: 01283 554197

# Walnut

Walnut doors are stylish and refined. This naturally dark-coloured wood brings warmth and a touch of luxury to modern classic interiors.

## WALNUT



Finish: Pre-finished Walnut veneer **Style:** Tigris/Emral: 5 ladder style panels, grooved into real wood Mistral: 3 ladder style panels, grooved into MDF **Glazing:** Emral: Clear flat safety glass with raised beading Mistral: Clear flat safety glass with flush beading Other: FD30 Fire doors

Tigris Walnut



Emral Walnut

Size (mm) Code

1981 686 35 WEMR23

1981 762 35 WEMR26

1981 838 35 WEMR29

Glazed fire doors available

2

Bs Bespoke options

FD30 Fire door

Solid core construction

Semi-solid core construction

Certifire FD30 Fire door

PRE-FINISHED

to order.

Bs 🖪

Size (mm) Code PRE-FINISHED 1981 610 35 WTIG20 1981 686 35 WTIG23 1981 762 35 WTIG26 1981 838 35 WTIG29 1981 686 44 WTIG23FD30 è 1981 762 44 WTIG26FD30 🌛 1981 838 44 WTIG29FD30 🌢

Tigris and Emral are available in Oak and White, see pages 21 & 87. see page 67.



Laminate versions are available in Lava and Ivory,



T: 01283 554197

www.jbkind.com



Mistral Walnut

Mistral Walnut Glazed



PRE-FINISHED

1981 610 35 WMIS20

1981 686 35 WMIS23

1981 762 35 WMIS26

1981 838 35 WMIS29

2040 526 40 WMIS526

2040 626 40 WMIS626

2040 726 40 WMIS726

2040 826 40 WMIS826 1981 686 44 WMIS23FD30 1981 762 44 WMIS26FD30 🤌

1981 838 44 WMIS29FD30 è

2040 726 44 WMIS726FD30 è

2040 826 44 WMIS826FD30 🤌

2040 926 44 WMIS926FD30 🌢



Size (mm) Code PRE-FINISHED 1981 686 35 WMIS23G 1981 762 35 WMIS26G 1981 838 35 WMIS29G 2040 626 40 WMIS626G 2040 726 40 WMIS726G 2040 826 40 WMIS826G Glazed fire doors available to order.

> Mistral Walnut is available in Oak and White, see pages 23 & 89.



58

59

#### WALNUT



Finish: Pre-finished Walnut veneer **Style:** Fernor/Franquette: Flush horizontal grained veneer Glazing: Clear flat safety glass with raised beading Other: FD30 Fire doors



Timber veneers are a natural material and variations in the colour and graining should be expected. Colours depicted are representative only.

M Matching door pairs cannot be guaranteed Bs Bespoke options

Standard core construction

Certifire FD30 Fire door

Mayette/Edras/Vina/Valcor: vertical and horizontal veneers with oak inlay

> Size (mm) Code PRE-FINISHED 1981 610 35 WFER20 1981 686 35 WFER23 1981 762 35 WFER26 1981 838 35 WFER29 1981 610 44 WFER20FD30 è 1981 686 44 WFER23FD30 è 1981 762 44 WFER26FD30 è

1981 838 44 WFER29FD30 🌛

Franquette

Fernor

Bs 📷 M



Size (mm) PRE-FINISHED 1981 686 35 WFRA23 1981 762 35 WFRA26 1981 838 35 WFRA29 Glazed fire doors available to order.

Bs 🕅



Edras

- CH		Bs	-03
			MD
		K	
		M	
	X		

Vina

SIZE (	11111)		Code	Size (IIIII)	code
PRE-FINISHED				PRE-FINISHED	
1981	610	35	WMAY20	1981 686 35	WEDR23
1981	686	35	WMAY23	1981 762 35	WEDR26
1981	762	35	WMAY26	1981 838 35	WEDR29
1981	838	35	WMAY29	Glazed fire do	ors available
1981	686	44	WMAY23FD30 실	to order.	
1981	762	44	WMAY26FD30 실		
1981	838	44	WMAY29FD30 실		

Size (mr	n)	Code	Size (mm) Code
PRE-FINI	SHED		PRE-FINISHED
1981 61	0 35	WVIN20	1981 686 35 WVAL23
1981 68	6 35	WVIN23	1981 762 35 WVAL26
1981 76	2 35	WVIN26	1981 838 35 WVAL29
1981 83	8 35	WVIN29	Glazed fire doors available
1981 68	6 44	WVIN23FD30	to order.
1981 76	2 44	WVIN26FD30	
1981 83	8 44	WVIN29FD30	

#### Valcor Bs 🕅





0ak inlay

Make a statement with a pocket door system see page 12

T: 01283 554197

Size (mm)

# WALNUT



**Style:** Axis: Wide shaker panel design Lara/Parisienne: 5 horizontal grained panels grooved into real wood Glazing: Clear flat safety glass (Parisienne has raised beading) **Other:** FD30 Fire doors Axis: Rebated door pairs can be ordered from stock (not fire doors) with a short lead time. Axis Walnut Lara Axis Walnut Glazed 


Finish: Pre-finished Walnut veneer

Size (mm) Code PRE-FINISHED 1981 610 35 VWAXI20 1981 686 35 VWAXI23 1981 762 35 VWAXI26 1981 838 35 VWAXI29 1981 686 44 VWAXI23FD30 è 1981 762 44 VWAXI26FD30 실 1981 838 44 VWAXI29FD30 è

Axis is available in Oak and White, see pages 45 & 99.

Size (mm) Code PRE-FINISHED

1981 686 35 VWAXI23G 1981 762 35 VWAXI26G 1981 838 35 VWAXI29G



Lara

Bs 🐼 M

Glazed fire doors available to order. Matching door pairs cannot be guaranteed Bs Bespoke options Solid core construction Standard core construction Certifire FD30 Fire door

Size (mm) Code

1981 686 35 WPAR23

1981 762 35 WPAR26

1981 838 35 WPAR29

PRE-FINISHED

Parisienne

Bs 🛃 M



# Laminates

Contemporary elegance – Laminate doors offer a consistent, durable finish in a selection of on-trend coloured wood effect finishes – perfect for all interiors.

# LAMINATES



**Style:** 5 ladder style panels with grey (Lava) and light (Ivory) coloured grooves **Glazing:** Clear flat safety glass with raised beading **Other:** FD30 Fire doors If trimming is required the door edges will need retouching. See website for colour match information.

**Finish:** Pre-finished laminate with grey and ivory coloured wood effect

Tigris Lava







Tigris Lava Glazed Tigris Ivory 

Size (mm)

FINISHED

Code

1981 762 35 LAVTIG26G

1981 838 35 LAVTIG29G

Tigris Ivory Glazed



Size (mm) Code FINISHED 1981 686 35 IVOTIG23G

1981 686 35 IVOTIG23 1981 762 35 IVOTIG26G 1981 762 35 IVOTIG26 1981 838 35 IVOTIG29G 1981 838 35 IVOTIG29 1981 686 44 IVOTIG23FD30 è 1981 762 44 IVOTIG26FD30 è 1981 838 44 IVOTIG29FD30 🎍

> Semi-solid core construction FD30 Fire door

www.jbkind.com

T: 01283 554197

Size (mm)

FINISHED

Code

1981 610 35 LAVTIG20

1981 686 35 LAVTIG23

1981 762 35 LAVTIG26

1981 838 35 LAVTIG29

1981 686 44 LAVTIG23FD30 실

1981 762 44 LAVTIG26FD30 è

1981 838 44 LAVTIG29FD30 🍑

Tigris is also available in

Oak, Walnut and White,

see pages 21, 59 & 87.

# LAMINATES



- Finish: Pre-finished laminate with smoky grey (Fumo) and dark grey walnut (Cinza) coloured wood effect
- **Style:** Central panel is slightly recessed **Glazing:** Clear flat safety glass with raised beading Other: FD30 Fire doors

If trimming is required the door edges will need retouching. See website for colour match information.

Size (mm)

PRE-FINISHED

Code

1981 610 35 LALAFUM20

1981 686 35 LALAFUM23

1981 762 35 LALAFUM26

1981 838 35 LALAFUM29

1981 686 44 LALAFUM23FD30 è

1981 762 44 LALAFUM26FD30 🌢

1981 838 44 LALAFUM29FD30 è



Semi-solid core construction FD30 Fire door

Alabama Fumo





1981 686 35 LALAFUMG23 1981 762 35 LALAFUMG26 1981 838 35 LALAFUMG29









Make a statement with a pocket door system see page 12



Size (mm) Code PRE-FINISHED 1981 686 35 LALACING23 1981 762 35 LALACING26 1981 838 35 LALACING29

www.jbkind.com

1981 838 44 LALACIN29FD30 è

# LAMINATE



**Finish:** Pre-finished laminate with oak (Hudson) and grey (Colorado) coloured wood effect

**Style:** Grooved cottage style central panel Glazing: Hudson: Clear flat safety glass with raised beading Colorado: Clear flat safety glass with etched lines and raised beading

Other: FD30 fire doors If trimming is required the door edges will need retouching. See website for colour match information.

#### Hudson



Colorado Hudson Glazed -8

Size (mm) Code Size (mm) PRE-FINISHED PRE-FINISHED 1981 686 35 LHUDG23 1981 610 35 LCOLO20 1981 762 35 LHUDG26 1981 686 35 LCOLO23 1981 838 35 LHUDG29 1981 762 35 LCOLO26 1981 838 35 LCOLO29 2040 626 40 LHUDG626 1981 610 44 LCOLO20FD30 실 2040 726 40 LHUDG726 2040 826 40 LHUDG826 1981 686 44 LCOLO23FD30 실 1981 762 44 LCOLO26FD30 è 1981 838 44 LCOLO29FD30 실





Code

-8

Colorado Glazed



1981 762 35 LCOLO26G 1981 838 35 LCOLO29G

Semi-solid core construction ♦ FD30 Fire door

www.jbkind.com

T: 01283 554197

1981 686 35 LHUD23 1981 762 35 LHUD26

1981 838 35 LHUD29

2040 626 40 LHUD626

2040 726 40 LHUD726

2040 826 40 LHUD826

1981 610 44 LHUD20FD30 실

1981 686 44 LHUD23FD30 è

1981 762 44 LHUD26FD30 è

1981 838 44 LHUD29FD30 è

2040 626 44 LHUD626FD30 è

2040 726 44 LHUD726FD30 è

2040 826 44 LHUD826FD30 실

2040 926 44 LHUD926FD30 è

Painted finish doors use state-of-the-art technology to create realistic timber graining in a choice of colours – achieving a perfect, uniform look.

Gu

an

d The

all

## PAINTED FINISH



## PAINTED FINISH

**Finish** Mocha: Painted soft walnut finish with vertical grain Wenge: Painted wenge finish with horizontal grain

Style: Mocha: 5 ladder style panels with ivory coloured grooves Wenge: 5 horizontal panels with wenge coloured grooves **Glazing:** Clear flat safety glass with raised beading

**Other:** FD30 fire doors

FSC<sup>®</sup> Certified

Mocha

-09

If trimming is required the door edges will need retouching. See website for colour match information.




Wenge Glazed

M





1981 686 35 ECM0C23G 1981 762 35 ECMOC26G 1981 838 35 ECMOC29G





M Matching door pairs cannot be guaranteed Standard core construction FD30 Fire door



Size (mm) Code PRE-FINISHED 1981 610 35 ECMOC20 1981 686 35 ECMOC23 1981 762 35 ECMOC26 1981 838 35 ECMOC29 1981 686 45 ECMOCHH23 è 1981 762 45 ECMOCHH26 è 1981 838 45 ECMOCHH29 è Mocha Glazed -02





Wenge



Code Size (mm) PRE-FINISHED 1981 610 35 ECWEN20 1981 686 35 ECWEN23G 1981 762 35 ECWEN26G 1981 838 35 ECWEN29G



Code

Mocha Glazed

76

.......

10

Adding the

see page 112

finishing touch ...

## PAINTED FINISH



Other: FD30 fire doors If trimming is required the door edges will need retouching. See website for colour match information. Tate Bs 🙀 M Size (mm) Code pre-finished 1981 610 35 GTAT20

**Finish:** Painted oak (Tate/Louvre) and

Style: Tate/Louvre: 5 horizontal panels, grooved into MDF

Glazing: Clear flat safety glass with raised

vertical grain

beading

natural (Viridis) colour finishes with

Viridis: Flush with light coloured grooves



M Matching door pairs cannot be guaranteed BS Bespoke options - mininium quantity may apply Standard core construction

Certifire FD30 Fire door



Louvre Bs M

Size (mm)

to order.

PRE-FINISHED

1981 686 35 GLOU23

1981 762 35 GLOU26

1981 838 35 GLOU29

Glazed fire doors available

Code



Viridis Glazed Bs 🗖





Size (mm) Code pre-finished 1981 610 35 NVIR20 1981 686 35 NVIR23 1981 762 35 NVIR26 1981 838 35 NVIR29 1981 686 44 NVIR23FD30 🌛 1981 762 44 NVIR26FD30 è 1981 838 44 NVIR29FD30 🌢





www.jbkind.com

# White

Classic | Contemporary | Shaker | Moulded Panel

White doors are wonderful for encouraging light into your home and are the perfect complement for all interior design themes.



**Finish** White primed **Style:** Flat panels with decorative flush mouldings **Glazing:** Clear flat safety glass Belton Etched: inner etched panel with a clear perimeter **Other:** FD30 Fire doors FSC<sup>®</sup> Certified Rebated door pairs can be ordered from stock (not fire doors) with a short lead time. **NEW** Osborne





Size (mm) Code PRIMED 1981 610 35 SOSB20 1981 686 35 SOSB23 1981 762 35 SOSB26 1981 838 35 SOSB29 1981 686 44 SOSB23FD30 🌢 1981 762 44 SOSB26FD30 🌢 1981 838 44 SOSB29FD30 è

# **NEW Colour Options** paint service

Looking to paint your doors a different colour? Let us take the hassle away and arrange for your doors to be professionally spray painted.

Virtually all of our internal white doors are suitable for this service – look out for the 🎇 icon.

Contact us with your preferred RAL colour reference and we'll do the rest!

See page 9 for more information.



## **NEW** Belton Etched Glazed

Б. 




Size (mm) Code PRIMED 1981 686 35 SBEL1LETC23 1981 762 35 SBEL1LETC26 1981 838 35 SBEL1LETC29



Colour Options Service Solid core construction FD30 Fire door

## WHITE CLASSIC





Finish:Pre-finished whiteStyle:5 ladder style panels, grooved<br/>into MDFGlazing:Clear flat safety glass with<br/>flush beadingOther:FD30 Fire doorsFSC\* Certified<br/>Rebated door pairs can be<br/>ordered from stock (not bi-fold)<br/>with a short lead time.<br/>Contact us for fire door options.

#### Tigris White Bs 🔯 💸



Size (	mm)		Code
PRE-F	INISH	IED	
1981	610	35	LTIG20
1981	686	35	LTIG23
1981	762	35	LTIG26
1981	838	35	LTIG29
1981	610	44	LTIG20FD30 è
1981	686	44	LTIG23FD30 è
1981	762	44	LTIG26FD30 è
1981	838	44	LTIG29FD30 실



Tigris White Bi-fold

## Emral White Bs 📝 💸



 Size (mm)
 Code
 Size (mm)
 Siz

# Size (mm) Code PRE-FINISHED 1981 762 35 LTIGBF26 Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Note: door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Colour Options Service
 Bespoke options
 Standard core construction
 FD30 Fire door

Tigris and Emral are available in Oak and Walnut, see pages 21 & 59.

Laminate versions are available in Lava and Ivory, see page 67.

www.jbkind.com



Style: 3 ladder style panels, grooved into MDF Glazing: Clear flat safety glass with flush beading Other: FD30 Fire doors FSC<sup>®</sup> Certified Rebated door pairs can be ordered from stock (not bi-fold) with a short lead time. Contact us for fire door options. Mistral White Bs 🛒 🍪 Size (mm) Code PRIMED 1981 610 35 LMIS20 1981 686 35 LMIS23 1981 762 35 LMIS26 1981 838 35 LMIS29 2040 526 40 LMIS526 2040 626 40 LMIS626 2040 726 40 LMIS726 Mistral White is 2040 826 40 LMIS826 1981 686 44 LMIS23FD30 è 1981 762 44 LMIS26FD30 🌢 1981 838 44 LMIS29FD30 è 2040 726 44 LMIS726FD30 è 2040 826 44 LMIS826FD30 실

Finish: White primed

#### Glazed fire doors available also available in to order. Oak and Walnut, see pages 23 & 59.

Size (mm)

2040 626 40 LMIS626G

2040 726 40 LMIS726G

2040 826 40 LMIS826G

PRIMED

Nitral White Glazel
Mistral White Glazed Mistral White Bi-fold Bs 3



Mistral White Bi-fold is also available in Oak, see page 23.

Code

1981 762 35 LMISBF26 Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track. Note: door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Bs Bespoke options Standard core construction Colour Options Service FD30 Fire door

T: 01283 554197

2040 926 44 LMIS926FD30 è







1981 762 35 ECBLA26

1981 838 35 ECBLA29 1981 686 45 ECBLAHH23 실

1981 762 45 ECBLAHH26 실

1981 838 45 ECBLAHH29 실

Linea Glazed

-03

Size (mm)

PRE-FINISHED

Code

1981 686 35 ECLIN23G

1981 762 35 ECLIN26G

1981 838 35 ECLIN29G


Size (	mm)		Code	
PRE-FINISHED				
1981	686	35	ECBLA23G	
1981	762	35	ECBLA26G	
1001	020	25		

-

1981 838 35 ECBLA29G

Standard core construction FD30 Fire door





- feature grooves Savoy/Phoenix: Grooved cottage style central panel Ripple: Textured effect
- **Glazing:** Barbican: Etched flat safety glass with clear rectangular pattern and raised beading Clear flat safety glass with flush (Ripple) and raised (Phoenix) beading
- **Other:** FD30 Fire doors FSC<sup>®</sup> Certified

Rebated door pairs can be ordered from stock (not Ripple) with a short lead time. Contact us for fire door options.



Bs Bespoke options Semi-solid core construction Standard core construction Colour Options Service FD30 Fire door

Cizo (mm)		Code
Size (mm)		COUP
PRIMED		
1981 610	35	LAP020
1981 686	35	LAP023
1981 762	35	LAP026
1981 838	35	LAP029
1981 686	44	LAP023FD30 è
1981 762	44	LAP026FD30 실
1981 838	44	LAP029FD30 실



## 1981 838 35 LBAR29 1981 762 44 LBAR26FD30 è 1981 838 44 LBAR29FD30 è

Savoy	Phoenix
	4
Size (mm) Code	Size (mm) Co
PRIMED 1981 610 35 LSAV20	PRIMED 1981 686 35 LF
1981 686 35 LSAV23	1981 762 35 LF

	- 10		
	- 11		
	reptored (		


#### PH023 PH026 1981 762 35 LSAV26 1981 838 35 LPHO29 1981 838 35 LSAV29 1981 762 44 LSAV26FD30 è 1981 838 44 LSAV29FD30 è

Size (mm) PRIMED

1981 762 45 RIP26FD30 실

1981 838 45 RIP29FD30 è

# r 🎲



Size (mm) Code	Size (mm) Coo	de
PRIMED	PRIMED	
1981 610 35 RIP20	1981 686 35 RIP	23G
1981 686 35 RIP23	1981 762 35 RIP	26G
1981 762 35 RIP26	1981 838 35 RIP	29G
1981 838 35 RIP29		
1981 686 45 RIP23FD30 è		




Finish: Premium primed Style: MDF face

Other: FD30 Fire Rebated door pairs can be

ordered from stock (not fire doors) with a short lead time.



phined	Ele
with feature grooves	Bs
doors	DS



1981 762 44 LAST26FD30 🌢

1981 838 44 LAST29FD30 è

1981 762 44 LELE26FD30 🌛

1981 838 44 LELE29FD30 🌛

Bs	<b>W</b>		
	1		
Size (n	nm)	Code	
PRIME			

Size (mm) Code	Size (mm) Code	Size (mm) Code
PRIMED	PRIMED	PRIMED
1981 610 35 LLYR20	1981 610 35 LNOV20	1981 610 35 LCRI20
1981 686 35 LLYR23	1981 686 35 LNOV23	1981 686 35 LCRI23
1981 762 35 LLYR26	1981 762 35 LNOV26	1981 762 35 LCRI26
1981 838 35 LLYR29	1981 838 35 LNOV29	1981 838 35 LCRI29
1981 686 44 LLYR23FD30 🎍	1981 762 44 LNOV26FD30	1981 686 44 LCRI23FD30
1981 762 44 LLYR26FD30	1981 838 44 LNOV29FD30 🎍	1981 762 44 LCRI26FD30
1981 838 44 LLYR29FD30 🌙		1981 838 44 LCRI29FD30 🌢

Bs 🚭

Bs -02 



Bs Bespoke options Standard core construction 😂 Colour Options Service Certifire FD30 Fire door

9	6	


www.jbkind.com

1981 762 44 LFOR26FD30 🌛

1981 838 44 LFOR29FD30 🌛







Rebated door pairs can be ordered from stock (not fire doors) with a short lead time.

Adding the Finishing touch ... see page 112

Aurora Etched

etched glass

Glazed has opaque

Code

1981 686 35 CAUR23

1981 762 35 CAUR26

1981 838 35 CAUR29

Size (mm)

PRIMED

Size (mm)

PRIMED

Code

1981 686 35 CAUR23G

1981 762 35 CAUR26G

Solid core construction Semi-solid core construction Colour Options Service

FD30 Fire door

102

Size (mm)

PRIMED

Code

1981 762 35 CAUR26ETCG

T: 01283 554197

1981 610 35 SGE020

1981 686 35 SGE023

1981 762 35 SGE026

1981 838 35 SGE029

1981 686 44 SGE023FD30 è

1981 762 44 SGEO26FD30 è

1981 838 44 SGE029FD30 è

Size (mm)

PRIMED

Code

Size (mm)

PRIMED

Code

1981 686 35 SGE023G

1981 762 35 SGE026G

1981 838 35 SGE029G

Size (mm)

1981 610 35 SECC20

1981 686 35 SECC23

1981 762 35 SECC26

1981 838 35 SECC29

1981 686 44 SECC23FD30 è

1981 762 44 SECC26FD30 è

1981 838 44 SECC29FD30 è

PRIMED

Code

Size (mm)

PRIMED

Code

1981 686 35 SECC23G

1981 762 35 SECC26G

1981 838 35 SECC29G

Make a

statement with

system see page 12

a pocket door



## WHITE MOULDED



	Caprice	Cottage 5
	Size (mm) Code	Size (mm) Code
	PRIMED GRAINED 1981 610 35 CAP20	PRIMED GRAINED 1981 610 35 MC0T520
	1981 686 35 CAP23	1981 686 35 MC0T523
	1981 762 35 CAP26	1981 762 35 MC0T526
	1981 838 35 CAP29 2040 726 40 CAP726	1981 838 35 MCOT529 1981 686 44 MCOT523FD30
	2040 826 40 CAP826	1981 762 44 MC0T526FD30
	1981 762 44 CAP26FD30 🎍	1981 838 44 MCOT529FD30 실
core construction	1981 838 44 CAP29FD30	
tions Service	2040 726 44 CAP726FD30 2040 826 44 CAP826FD30	
door	2040 020 44 011 0201050	
lazed	Andorra	Cottage 1 Light
	i 🐼	i 🐼
Code	Size (mm) Code	Size (mm) Code
TH	PRIMED GRAINED	PRIMED GRAINED
QUA4L23	1981 686 35 CAPAND23	1981 686 35 MCOT51L23
0114 41 26	1001 762 25 CADAND26	1001 767 25 MCOTE1126

1981 762 35 CAPAND26

1981 838 35 CAPAND29


T: 01283 554197

1981 762 35 MCOT51L26

1981 838 35 MCOT51L29

## WHITE MOULDED





Colonist Bi-fold r 🕬 3 panel Size (mm) Code Size (mm) Code PRIMED SMOOTH 3 PANEL PRIMED GRAINED 1981 457 35 SMCOL16 1981 762 35 COLBF26 1981 533 35 SMCOL19 1981 914 35 COLBF30 PRIMED SMOOTH 1981 610 35 SMCOL20 1981 686 35 SMCOL23 1981 762 35 SMCOL26 1981 838 35 SMCOL29 2032 813 35 SMCOL28 1981 686 44 SMCOLHH23 è 1981 762 44 SMCOLHH26 è 1981 838 44 SMCOLHH29 🌢 2032 813 44 SMCOLHH28 è

> Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

108

👌 FD30 Fire door

## WHITE MOULDED

Finish: White primed grained effect Style: Moulded panel Glazing: Clear flat safety glass with flush beading Other: FD30 Fire doors ESC<sup>®</sup> Certified Pairs: rebated meeting stiles, right hand open away







710	
ee (mm) Code	Size (mm)
IMED GRAINED	PRIMED GRAINE

Classique

6 Light

M 🐝

Classique

Bi-fold

-08

Siz

Solid core construction Standard core construction 🔅 Colour Options Service (not suitable for smooth finish doors) 👌 FD30 Fire door



Bi-folds are easy to install into existing frames, supplied



#### Useful Tip:

For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

#### Important:

Classique

r 🗱 💸

6 Light Pairs

Code

1981 1220 35 CLAGLSPR40

Size (mm)

PRIMED GRAINED

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.



Make a statement with a pocket door system see page 12

flush beading Canterbury 2 Light FD30: Clear flat fire glass with raised beading Other: FD30 Fire doors FSC<sup>®</sup> Certified Canterbury M 🎲 2 panel Code Size (mm) Code PRIMED SMOOTH 1981 610 35 SMCAN20

**Finish** White primed grained and smooth effect

Grained: etched flat safety glass with clear

diamond pattern lines and flush beading

Smooth: clear flat safety glass with

Style: Moulded panel

Glazing: Canterbury 2 Light & Bi-fold



Smooth

Canterbury

**1** 

Size (mm)

PRIMED GRAINED

Code

2 Light FD30

Grained

Canterbury

2 Light

r 🗱 🗱

Size (mm)

PRIMED GRAINED

1981 686 35 CANGL23

1981 762 35 CANGL26

1981 838 35 CANGL29

2032 813 35 CANGL28

2040 726 40 CANGL726

PRIMED SMOOTH CLEAR GLASS

1981 686 35 SMCANGLC23

1981 762 35 SMCANGLC26

1981 838 35 SMCANGLC29

Smooth clear glass

ETCHED GLASS

Code

Canterbury Bi-fold 📾 談



Size (mm) Code PRIMED GRAINED 1981 610 35 CANBF20 1981 762 35 CANBF26

Canterbury Glazed Bi-fold r 🕬



www.jbkind.com

T: 01283 554197

2040 826 44 CANHH826 실

2040 926 44 CANHH926 è

## **DOOR HANDLE PACKS**

With a 10 year parts and mechanism guarantee, the

premium stainless steel and zinc diecast construction


PLEASE NOTE: the hinges provided in our latch

packs are not suitable for use with fire doors.

. Fire door hinges are available separately, call

provides that all important peace of mind.

01283 554197 for details.



in depth.

insert the latch.

#### Door Handle Latch Packs the perfect partner for your JB Kind doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box. Each pack comes with a pair of handles, a smartlatch, a choice of keeps and three quality stainless steel ball bearing hinges.





#### **Smartlatch:** Fit in under five minutes

Step one: Using a 25mm Step two: Using the same drill bit, bore out to 75mm bit, drill the hole for the spindle.



Step four: Fit handles.



Privacy latch packs with revolutionary push button, available in all handle styles. No requirement to purchase or fit a separate bathroom lock.



**Roller** Polished and satin chrome finish

Blade satin chrome finish





Privacy push

Wave Polished chrome finish



**Curl** Polished chrome and satin nickel finish



Style	Standard latch pack	Privacy latch pack
ROLLER	IROLLP	IROLPP
WAVE	IWAVLP	IWAVPP
CURL	ICURLP	ICURPP

Drift Polished chrome and satin nickel finish





Style Standard latch pack Priv		Privacy latch pack
BLADE	IBLALP	IBLAPP
DRIFT	IDRILP	IDRIPP
TUBE	ITUBLP	ITUBPP

www.jbkind.com

## EXTERNAL EXTREME

Flexible purchase options:

pre-finished door leaf with weather bar

Option 2: choose an External Extreme

Ideal for when you're fitting into a new or existing door frame. Prefer a different colour to white? Ask about our

Supplied pre-hung in a solid Accoya wood frame with

all hardware and accessories fitted. Door leaves can be

painted with our 🎇 Colour Options service, if required.

Option 1: purchase an individual

(see pages 116-117)

🞎 Colour Options service.

Doorset (see pages 118-19)



Constructed with an exceptionally durable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, External Extreme doors can withstand the toughest weather conditions.

#### All External Extreme doors are:

- Weather resistant
- Supplied with a 10 year guarantee
- Suitable for fitting in a day!
- Supplied with a weather bar
- Available as a pre-hung door set
- Perfect for over painting



## **NEW Colour Options** paint service

Front door colours are very much a personal choice. External Extreme doors are supplied pre-finished in white but can be easily over painted, should you wish to achieve a specific colour.

Let us take the hassle away. Tell us your preferred RAL colour reference and we will arrange for your door to be spray painted with a quality exterior finish.






DURABLE Longer lasting, perfect for external use.

coatings maintenance.

Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use

within the structure of external doors.





SUSTAINABLY SOURCED FSC<sup>®</sup> Certified. Wood used from sustainable sources.




ENHANCED STABILITY Swelling and shrinking dramatically reduced.



**RESISTANT TO FUNGAL DECAY** Effective barrier to fungal decay.



## EXTERNAL EXTREME



# External EXTREME Pre-hung Doorsets



year

Our External Extreme Doorsets are designed to withstand the toughest weather conditions with the strength and durability of our MEDITE®TRICOYA®EXTREME faced door range combined with an ACCOYA solid wood high performance door frame.

Extreme Doorsets are supplied factory finished in a white exterior paint as standard. Our 🎇 Colour Options service can pre-paint individual door leaves (not door frames) any RAL colour. Alternatively, the doorsets are easy to over-paint in a colour of your choice, once in situ.

Each Doorset frame is made to measure, pre-hung with your Extreme door, complete with all hardware and accessories. Ready for easy installation and backed by a 10 year manufacturing defect guarantee.

#### **Optional doorset accessories:**




## **BENEFITS OF** A DOORSET

Save time Each Doorset is pre-hung and ready to install.

Labour cost saving Quicker fitting times help reduce onsite costs.

Single sourcing Ease of purchasing all door related components in one place.

Factory controlled Each Doorset is assembled in a factory environment to ensure consistency and quality.



## **External Extreme Doorset features:**

Solid Accova wood door frame (supplied factory finished in



white)

MEDITE®TRICOYA®EXTREME faced door (supplied factory finished in white, ask about our 🎎 Colour Options service)



Chrome door handle (supplied as standard)

3-Point locking mechanism



Chrome security cylinder




Stainless steel standard grade-13 hinges



Silver stormguard weather bar







www.jbkind.com

#### Oak Door Linings, Architraves and Skirtings – Boxed Sets

Constructed with a solid engineered core and faced with oak veneer. Each set is sufficient for most standard door sizes, available both varnished and unvarnished.



#### Lininas

Size (mm) Varnished Unvarnished 0DI 108V ODI 108 30 x 108 30 x 133 0DI 133V 0DI 133 Each pack is sufficient for a single door

Contents per box: 1 piece 1050mm - Head 2 pieces 2100mm - Jambs Stops - 12 x 45mm, 2 pieces 2100mm, 1 piece 1050mm



Architraves

Size (mm)	Varnished	Unvarnished
18 x 69	OARC69V	OARC69
Each pack is suffici	ent for both sides	s of one door
Contents per box:		
4 pieces 2200mm	2 pieces 1200m	m lengths

#### Skirting

Size (mm) Varnished Unvarnished OSK144V OSK144 18 x 144 Contents per box: 4 pieces 3000mm lengths

#### Pair Maker

Oak style T-section pair maker, available for both standard and metric width doors.

Size (mm) Product Code UNVARNISHED OPRMAKER37 (to suit 35mm door) 2100mm 2100mm OPRMAKER42 (to suit 40mm door

#### Modern Architrave

The perfect complement for your doors. Veneered on MDF and supplied with sufficient lengths to fit both sides of most standard internal door sizes.

(box quantity for 2 sides single leaf)

4 pieces 2200mm - Jambs 70 x 20mm

2 pieces 1100mm - Heads 70 x 10mm



#### Sovereign Sets

Contents per box:

Size (mm)

ARCHITRAVES

The ultimate embellishment for enhancing oak or painted internal doors in both unfinished and prefinished oak, veneered on MDF. Two different head sizes are offered to suit both single leaves and pairs.

Size (mm) Varnished Unvarnished 1100 RPSOV011 RPSOV011-0U 1800 RPSOV022 RPSOV022-OU Contents per box: sufficient for one side of a door 2 jambs 1 head 2 corner blocks 2 plinth blocks

## For a perfect finish ...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.

#### All-in-one natural hard wax oil that dries to a natural, clear matt finish.



Please refer to www.mannsuk.com for more information and to purchase these products directly.





MANNS

NG WOOD LOOK

Clear, water based varnish that is available in 4 sheen levels.

## Essential Door Care & Maintenance Advice

The principal enemy of timber doors is excess exposure to moisture or drvness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

#### Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

#### Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

#### Installation

T: 01283 554197

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width

if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch / locks etc. should be cut to the minimum recommended sizes. Panel door mortises should not be located at rail joints as this may significantly weaken them. On completion remove doors, taking off all ironmongery and treat every cut / untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay particular attention to all edges of your door, particularly any exposed end grain where the propensity for the free passage of moisture is much greater.

#### Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

#### Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

#### External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m,



Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

#### Ouality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality" BS 5278:1976 / FN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

#### Safety Glass

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

#### IMPORTANT


Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match

Colours depicted are representative only and are reproduced as accurately as the printing process will allow

We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.



121



Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and accredited, collections of fire doors in the UK.



As responsible suppliers of fire resistant doors, we ensure that all of our FD30 doors have been tested in accordance with either the British BS476 pt22 or European EN1634-1:2000 standards.

All of our fire doors have a Fire Test Assessment report which is available upon request and outlines in detail exactly what you can and can't do when fitting any particular door. All fire doors are glazed with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed

Fire Doors & Part M (Mobility) visibility requirements, log on to

jbkind.com or call 01283 554197.

#### Certificated Fire Doors

Fire doors certificated by Warringtonfire are identified by Certifire FD30 Fire door. JB Kind's membership of the BWF Fire Door Alliance Scheme supports the promotion of third party certification.

FD30 fire doors – at a glance

Take a look below to see which fire door options are available by range. Look out for the  $\diamond$  or  $\diamond$  icons adjacent to product codes.

	Solid FD30 Fire Doors		Glazed FD30 Fire Doors	
	AVAILABLE FROM STOCK	BESPOKE FD30	AVAILABLE FROM STOCK	BESPOKE FD30
Oak Contemporary	all designs	all designs	Emral Oak (p21) Blenheim (p27)	all designs excluding Bela and Sol Glazed
Oak Classic	all designs	Royale designs only	Royale 12-6VM (p33)	Royale designs only
0ak Shaker	all designs	N/A	N/A	N/A
Oak Cottage	all designs excluding Rustic Oak	Thames (p51) Cherwell (p53)	N/A	Cherwell Glazed (p53)
Walnut	all designs	all designs excluding Axis	N/A	all designs excluding Axis Glazed
Laminates	all designs	N/A	N/A	N/A
Painted Finish	all designs	Pintado, Ardosia, Tate, Viridis only	N/A	Pintado, Ardosia, Louvre, Viridis only
White Classic	all designs	N/A	N/A	N/A
White Contemporary	all designs	all designs excluding Imperial, Eclipse, Ripple, Parelo, Linea Blanco, Savoy	Dominion (p93) Barbican (p94)	all designs excluding Arcadian, Regent, Oriole, Ripple, Parelo, Linea, Blanco, Phoenix
White Shaker	all designs excluding Axis Ripple and Aurora	N/A	Tobago (p100)	N/A
White Moulded	all designs	N/A	Faro (p108) Canterbury 2 Light (p111)	N/A

## **INDEX - Doors & Accessories**

2XG Extreme Adelphi / Bi-fold	External Extreme White Contemporary	117 93
Aqua / Glazed	Oak Contemporary	31
Alabama Cinza / Glazed	Laminates	69
Alabama Fumo / Glazed	Laminates	68
Andorra	White Moulded	107
Antigua / Bi-fold	White Shaker	100-10
Apollo	White Contemporary	94
Arcadian	White Contemporary	93
Architrave Oak	Timber Accessories	120
Arcos / Glazed	Oak Contemporary	31
Arden	Oak Classic	39
Ardosia / Glazed	Painted Finish	75
Argento / Glazed	Painted Finish	75
Aster	White Contemporary	96
Aurora / Glazed	White Shaker	102
Axis Oak / Glazed	Oak Shaker	45
Axis Ripple	White Shaker	99
Axis Walnut / Glazed Axis White / Glazed / Bi-folds	Walnut White Shaker	63 99
Barbados	White Shaker	105
Barbican	White Contemporary	94
Bela	Oak Contemporary	21
Belton / Glazed	White Classic	83
Blade	Door Handle Packs	113
Blanco / Glazed	White Contemporary	91
Blenheim	Oak Contemporary	27
Canterbury / Glazed / Bi-folds	White Moulded	111
Caprice	White Moulded	107
Catton / Glazed	White Classic	85
Cayman / Bi-fold	White Shaker	105
Ceylon	Oak Contemporary	26
Charnwood	Oak Classic	39
Chartwell	Oak Contemporary	27
Cherwell / Glazed	Oak Cottage	53
Churnet	Oak Classic	37
Classique / Glazed / Pairs / Bi-fold	White Moulded	110
Clementine	Oak Contemporary	27
Colonial 4 Panel Extreme / Glazed	External Extreme	117
Colonist / Bi-fold	White Moulded	109
Colorado / Glazed	Laminates	71
Cottage 5 / Glazed	White Moulded	107
Criterion	White Contemporary	97
Curl	Door Handle Packs	113
Darwen	Oak Classic	43
Dean	Oak Classic	39
Decca	White Moulded	108 108
Decima	White Moulded	37
Derwent	Oak Classic	29
Diana Dominica	Oak Contemporary White Shaker	105
		93
Dominion Doorsets - internal	White Contemporary Our Services	10-11
Doorsets - external	External Extreme	118-119
Dove / Pairs	Oak Classic	36
Drift	Door Handle Packs	113
Eccentro / Glazed	White Shaker	103
Eclipse	White Contemporary	93
Eden	Oak Classic	43
Edras	Walnut	61
Edwardian / Glazed	White Moulded	109
Eiger	Oak Shaker	49
Elektra	White Contemporary	96
Emral Oak	Oak Contemporary	21
Emral Walnut	Walnut	59
Emral White	White Contemporary	87
Etna / Bi-fold	Oak Shaker	48
Faro	White Moulded	108
Fernor	Walnut	60
Fortune	White Contemporary	96
Franquette	Walnut	60
Fuji / Bi-fold	Oak Shaker	49
Geo / Glazed	White Shaker	103
Gisburn	Oak Classic	39
Grizedale	Oak Classic	39
	White Classic	85
Hardwick		
	Laminates Oak Classic	71 43

Jamaica	White Shaker	101
	Oak Contemporary	28
Lara	Walnut White Contemporary	63 91
Linea / Glazed Linings Oak	White Contemporary Timber Accessories	120
Louvre	Painted Finish	79
Lucina	Oak Contemporary	29
Lyric	White Contemporary	97
Matterhorn	Oak Shaker	49
Mayette	Walnut	61
Medina	Oak Contemporary	21
Mersey	Oak Classic	43
Minerva	Oak Contemporary	29
Mistral Oak / Glazed / Bi-fold	Oak Contemporary	23
Mistral Walnut / Glazed	Walnut	59
Mistral White / Glazed / Bi-fold	White Contemporary	89
Mocha / Glazed	Painted Finish	77
Montserrat / Bi-fold	White Shaker	105
Nevis	Oak Shaker	47
Novello	White Contemporary	97
Oriole	White Contemporary	93
Osborne	White Classic	83
Ostria / Glazed	Oak Contemporary	25
Pair Maker Parolo / Glazod	Timber Accessories	120
Parelo / Glazed	White Contemporary Walnut	91
Parisienne Phoenix		63 95
Pintado Grey / Glazed	White Contemporary Painted Finish	74
Pocket Doors & Accessories	Pocket Door Systems	12-15
Quattro / Glazed	White Moulded	107
Regent	White Contemporary	93
Rhodesia	Oak Contemporary	26
Ripple / Glazed	White Contemporary	95
Roller	Door Handle Packs	113
Royale 11-8V Oak	Oak Classic	33
Royale 12-6VM Oak	Oak Classic	33
Royale 12M Oak	Oak Classic	33
Royale E14-2VM Oak	Oak Classic	35
Royale E14M Oak	Oak Classic	35
Royale E16M Oak	Oak Classic	35
Royale R03 Oak / Glazed	Oak Classic	41
Royale R11-2M Oak	Oak Classic	41
Royale R11-2V Oak	Oak Classic	41
Royale VP7 Oak / Glazed	Oak Contemporary	19
Royale VT5 Oak / Glazed	Oak Contemporary	19
Rushmore	Oak Shaker	47
Rustic Oak 4 Panel / Glazed	Oak Cottage	55
Rustic Oak DX / Glazed	Oak Cottage	55
Rustic Oak Ledged	Oak Cottage	55
Rustic Oak Ledged - Brace Kit Pack	Oak Cottage	55
Savoy	White Contemporary	95
Severn	Oak Classic	37
Sherwood	Oak Classic	39
Sirocco / Glazed	Oak Contemporary	25
Skirting Oak	Timber Accessories	120
Snowdon / Bi-fold	Oak Shaker	47
Sol / Glazed	Oak Contemporary	30
Spencer Tato	Oak Contemporary	27
Tate	Painted Finish	116-117
Thames Extreme / Glazed Thames Oak / Glazed / Bi-fold	External Extreme Oak Cottage	51
Tigris Extreme / Glazed / BI-1010	External Extreme	116
Tigris Ivory / Glazed	Laminates	67
Tigris Lava / Glazed	Laminates	67
Tigris Oak	Oak Contemporary	21
Tigris Walnut	Walnut	59
Tigris White / Bi-fold	White Contemporary	87
Tobago / Bi-fold	White Shaker	100 / 101
Trent	Oak Classic	36
Trinidad	White Shaker	101
Tube	Door Handle Packs	113
Tutbury	Oak Cottage	52
Valcor	Walnut	61
Venus	Oak Contemporary	28
Vina	Walnut	61
Viridis / Glazed	Painted Finish	79
Wave	Door Handle Packs	113
Wenge / Glazed	Painted Finish	77



Contact your local stockist

JB Kind Limited Portal Place, Astron Business Park, Hearthcote Road, Swadlincote, Derbyshire DE11 9DW T: 01283 554197 F: 01283 554182 E: info@jbkind.com



www.jbkind.com